

NEC Versa Litepad

NEC Versa Litepad™, the industry's thinnest and lightest Tablet PC solution engineered to combine the natural convenience of pen-based computing with the productivity advantages of Microsoft's new Windows XP Tablet PC Edition, the Versa LitePad represents a new generation of "pure" Tablet-based computing solutions for grab-and-go professionals in markets like healthcare, field sales and professional services where users require an instant-on portable solution that's extremely easy to use in a multitude of mobile environments.

10.4" XGA TFT color display with digitizer
Intel® Ultra-Low-Voltage Mobile Pentium® III Processor at 933MHz-M
2.2 pounds
256 MB RAM, expandable to 512 MB
20 GB hard drive
External USB CD-ROM drive
External USB keyboard and mouse
10/100 Ethernet and integrated Wireless LAN 802.11a/b connections
Several pre-installed business and productivity applications, including Adobe® Acrobat® Reader® Version 5.0, Alias/Wavefront™ SketchBook Pro™, Colligo™ Networks Personal Edition, Corel® Grafigo™, FranklinCovey® TabletPlanner™ and Zino Reader.



[Download NEC Product Brochure](#)

Versa LitePad Specifications

The NEC Versa LitePad is the thinnest and lightest Tablet PC solution on the market, engineered for the enterprise market. Considered a "pure" Tablet PC solution, the Versa LitePad has an ultra slim profile of 8.8-inches wide by 11.7-inches long by .6-inches thick and is a feather light 2.2 pounds – comparable to even traditional paper-based notepads. A primary feature of the Versa LitePad is its 10.4-inch wide-angle display, which allows a user to interface with the product like "digital paper," electronically capturing handwritten notes and radically simplifying daily business collaborations. The Versa LitePad ships with several pre-bundled business productivity applications and connectivity options. It is ideally suited for organizations looking to replace their traditional paper-based clipboard systems with a mobile solution that can drastically simplify business collaborations, field data collection and improve communications with remote employees.

Key Features

10.4" XGA TFT color display with digitizer
Intel® Ultra-Low-Voltage Mobile Pentium® III Processor at 933MHz-M
2.2 pounds
256 MB RAM, expandable to 512 MB
20 GB hard drive
Integrated Wireless LAN 802.11a + b connections
External USB CD-ROM drive
External USB keyboard and mouse
Several pre-installed business and productivity applications, including Adobe® Acrobat® Reader® Version 5.0, Alias/Wavefront™ SketchBook Pro™, Colligo™ Networks Personal Edition, Corel® Grafigo™, FranklinCovey® TabletPlanner™ and Zino Reader

Specifications

Processor

Mobile Intel® Pentium® III Processor ULV-M, featuring Intel SpeedStep™ Technology 933 MHz 133-MHz Front-Side Bus (FSB) L2 cache - 512-KB

Memory

256 MB of high-speed PC133 memory in one SO-DIMM slot
BIOS Read-Only Memory (ROM) - 512-KB flash ROM
Cache Memory - L1 Cache; 16 KB code and 16 KB data

Memory Expansion

512 MB of PC133 memory upgrade in SO-DIMM slot2

Storage Devices

20 GB hard drive 1.8-inch, 5mm, IDE, UltraDMA/1003
External USB 24x CD-ROM drive
Optional external USB industry-standard 3.5-inch, 1.44-MB1 diskette drive
Optional external USB 24x CD-R/RW drive

Calendar Clock

Year/month/day/hour/minute/second maintained by internal back-up battery

Core Chip

Napa2-T (North Bridge) and Ali 1535+ (South Bridge)

Video

Video Controller - embedded in core chip (North Bridge)
Video RAM - 16 MB (UMA)
Resolution - XGA (default) and SVGA VGA out - support for simultaneous LCD/CRT display

LCD

Extended Graphics Array (XGA) LCD panel
10.4-inch reflective active-matrix Thin Film Transistor (TFT) color display
Protective covering - tempered glass with coating
Resolution - 1024 x 768 max
Color depth - 24-bit Digitizer

Tablet

Electromagnet give and receive method

Pens

Slim pen (5.5mm) and clip pen (9mm)

User Controls - Buttons

Change screen orientation
Escape
Function
Security
Down
Enter
Up

User Controls - Switches

Power
Radio wave

Audio

Controller - embedded in core chip (South Bridge)
Sound Codec - ADI 1981B
Internal monaural speaker
Internal microphone

SoundBlaster compatible
Software beep control
Buzzer support
S/P DIF support

Keyboard

Slim, space-saving USB keyboard with standard QWERTY-key layout
Function keys - 12 keys
Cursor control keys including 4 arrow keys arranged in inverted T layout
Windows key set
Num lock, Caps lock, Scroll lock, and Fn status LEDs
Sleep button
Embedded numeric keypad

Mouse

Mini 3-button USB optical wheel mouse

Input/Output (I/O) Facilities

Integrated industry-standard interfaces
LAN Port - 1 port, RJ-45 jack
DC In - 1 port for AC adapter cable
USB Ports - 3 ports, one with power port
VGA - 1 port, 15-pin high-density D-sub
Microphone In - 1 port, 3-pin, Mini-Pin jack
Stereo Headphone Out - 1 port, 3-pin, Mini-Pin jack (with SP DIF)

LAN

10Base-T and 100Base-TX
Wake-On LAN support on S3/S4 states
LAN boot support (network boot)
Remote Power On support
Full duplex support
Software support for management server Integrated on main board

Wireless LAN

Mini PCI - 802.11a + b
Outside antenna

Card Slot

One CF card slot for Type I or Type II CF Card

Power

ACPI power management support; power status and battery charge status LEDs

Batteries

Main Battery
Lithium ion (Li-Ion), 4 cell battery pack
RTC Battery

AC Adapter

Input Voltage - 100 to 240 volts (V) AC, 50 watt (max.)
Output Voltage - 19 volts DC, 50 watt (max.)

Security

Kensington lock slot
Power-on password; can set with pen

Dimensions and Weights

Width - 8.82 in (224 mm)

Length - 11.69 in. (297 mm)

Thickness - 0.59 in. (15 mm)

Weight - 2.24 lbs. (1015 g)¹

Factory-Installed Operating Systems

Microsoft® Windows® XP Tablet PC

NEC PCs use genuine Microsoft® Windows®

www.microsoft.com/piracy/howtotell

Software

Adobe® Acrobat® Reader® Version 5.0

(PDF document reader, full version)

Alias/Wavefront™ SketchBook Pro™

(sketchbook software, free version with upgrade option)

Colligo™ Networks Personal Edition

(Peer-to Peer WLAN connection utility, 10 collaborative users)

Corel® Grafigo™

(annotation and design software, full version)

FranklinCovey® TabletPlanner™

(personal organizer and time management, 30-day trial)

Zinio Reader

(eBook software, subscription required for publications)

Microsoft Office XP Service Pack for Tablet PC

Limited Warranty

One year parts and labor limited warranty⁴

Concurrent one-year Express service at no extra charge

Availability & Pricing

The NEC Versa LitePad is available now through select distributors, including CDW, Amazon and PC Connection with standard configurations starting at \$2,399 (U.S.).

1. Weight without external drives.

2. If upgrading after initial purchase, the memory module provided with the system will have to be replaced with an optional larger memory module in order to achieve the maximum capacity.

3. When referring to storage capacity, GB stands for one billion bytes and MB stands for one million bytes. Some utilities may indicate varying storage capacities. Total user-accessible capacity may vary depending on operating environments.

4. For a free copy of the limited warranty, see a reseller where our products are sold or write to:

NEC Solutions (America), Inc.

Attn: Warranty Dept.

10850 Gold Center Drive

Suite 200

Rancho Cordova, CA 95670

Prices are subject to change without notice. Prices do not include tax or shipping. Reseller prices may vary.

Information contained here is subject to change without notice. NEC is a registered trademark of NEC Corporation. Versa LitePad is a trademark of NEC Solutions (America), Inc. a U.S. registered trademark. All are under license. Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are trademarks of Intel Corporation in the U.S. and/or other countries. All other trademarks and registered trademarks are the property of their respective owners. ©2003 NEC Solutions (America), Inc. All Rights Reserved.